

BRIDGE		TOWN Fair Haven	
OVERPASS		ROAD NO. 76	SHEET NO.
UNDERPASS		BRIDGE NO/	DATE 6/30/82 E/2
UNDERPASS COMBINED			
ROAD CLASS		ODOMETER READING 0.17	RAILROAD NAME
NAME OF STREAM, ETC., CRO	OSSED (astlaton	RIVEL	NO. OF R.R. TRACKS
		DESCRIPTION	
		DESCRIPTION	
NO. OF SPANS	I FNG	TH OF EACH SPAN	
/	20110	481	INF BOTTON
Ministrative and a conference of the second co		**************************************	C C C C C C C C C C C C C C C C C C C
TOTAL LENGTH OVERALL ALOR	NG CENTERLINE OF ROAD	571	COME
	_		
	MATER	IAL AND DIMENSIONS	
		1/	
ABUTMENTS CON C		SUPERSTRUCTURE	lups Roil
FLOOR SYSTEM: FLOOR COM	THICKNE	ss 7 1/2 "	MAIN BEAMS
FLOOR BEAMS		STRINGERS	5-33 18"WF
		CLEARANCES	
30/		~ /	
ROADWAY 30/		DTH. RIGHT 5	LEFT
MINIMUM VERTICAL (TRAFFIC)			
CLEAR HEIGHT (FROM BOTTOM			OVERPASS *
POSTED LOAD LIMITS	BRIDGE NO	JA30 1938	YEAR BUILT 1960 .
			,
	CONDITIO	N - DESCRIBE DEFECTS	,
GOOD	****	- DESCRIBE DEFECTS	
SUPERSTRUCTURE 2			
FLOOR			
	- 0 0 _	о менения по поменения в при поменения в поменения в поменения в поменения в поменения в поменения в поменения	
ABUTMENTS T			
PAINT CINE O			
s water line a	m1		
- line attached			TIVE .
ille all ached			771 62
	IMPR	OVEMENT NEEDED	July 2
	decementagement		
NATURE OF NEED			
WHEN NEEDED IMMEDIA	ATELY	5 YEARS	☐ IO YEARS
ESTIMATED COST			
X FOR OVE	BRACE CHOW DICTARIOS SA	WIN TO TOO OF DAIL OF CHIEF	

BRIDGE OVERPA	00		WN Faint	daven		etland
UNDERP			AD NO. 45		SHEET NO.	
	ASS COMBINED	BK	IDGE NO		DATE 6/	30/82 Ege
ROAD CL		000	OMETER READING	DOC OCT	/ DAII DOAD NA	A.P.
		15+10+04	River		NO. OF R.R. TR	
		3110100	J. V. E. E.		NO. OF R.R. IR	ACKS
		DESC	RIPTION			
		Advantage and addition between				
NO. OF	SPANS	LENGTH OF	EACH SPAN			TYPE
	(Ut beom
						Conc
TOTAL LENGT	TH OVERALL ALONG CENTERL	INE OF ROAD 64	,			
		MATERIAL A	ND DIMENSION	•		
		WATERIAL A	IND DIWEISTON	2	~ /	
ABUTMENTS	(011c		SUPERSTRI	JCTURE COMO	Balus	trado
FLOOR SYSTE	M: FLOOR COUC	THICKNESS	?		BEAMS 30	WF
FLO	OR BEAMS /		STRINGER	s could	not see	under bridge
				IM DOS	sible to	meosure Substru
		CLEA	RANCES			/
	20'					
ROADWAY		SIDEWALK WIDTH.	RIGHT		LEFT	6
	TICAL (TRAFFIC) CLEARANCE		. = 5 /			
	(FROM BOTTOM OF BRIDGE TO		17.8'	OVERPA	-	
POSTED LOAD		BRIDGE NO.	paris Autoropeanies in destructions and a second a second and a second	YEAR B	UILT / 93	8
	Has USGS Ba	ench Mark	25 1955	1		
						•
		CONDITION - DE	ESCRIBE NEEE	CTC		,
	GOOD FAIR	POOR	SONIBL DEFE	.013		
SUPERSTRUCT						
FLOOR						
BEAMS & STR			Allenhille deribation opposition entre op dat derestation and design			
ABUTMENTS						
PAINT						
						ATTIL 1910
						12/1/19
		IMPROVEM	ENT NEEDED			500
WHEN NEEDED		para	VEADA		•	
ESTIMATED CO		_ 5	YEARS			O YEARS
COLUMNIED O	* FOR OVERDACE CHOW	DISTANCE DOWN TO	TAR AP DAIL OF		Multiplia	

	FORA	LL STRUC	TURES HAVING A TOTAL OPENING OF	6 FEET AND OVER	
	BRIDGE OVERPASS UNDERPASS		TOWN Fair Blaus ROAD NO. 78 BRIDGE NO. 3	county Rutland sheet NO. DATE 6/30/82 gre	
	UNDERPASS COMBINED		0.31	0112 3/30/82	PRI
	ROAD CLASS		ODOMETER READING	06 RAILROAD NAME D & H	1. 5. 6. 1. 1. 1.1.
	NAME OF STREAM, ETC., CROS	SED		NO. OF R.R. TRACKS	

			DESCRIPTION		
	NO. OF SPANS		LENGTH OF EACH SPAN	Underp	c55
	A			-	
тот	AL LENGTH OVERALL ALONG	CENTER	INE OF ROAD		
			MATERIAL AND DIMENSIONS		
	TMENTS OUC		THICKNESS		- Province all companies of the companie
PLO	FLOOR BEAMS		STRINGERS	MAIN BEAMS	
	PLOOR BEAMS	***************************************	STRINGERS		
			4		
			CLEARANCES		
	20' 11	>1'	SIDEWALK WIDTH. RIGHT		
	and the second s		SIDEWALK WIDTH, RIGHT	LEFT	
	MUM VERTICAL (TRAFFIC) CL AR HEIGHT (FROM BOTTOM OF				
POST	FD LOAD LIMITS	BRIDGE TO	STREAM BED)	OVERPASS *	
	CIGI	/)	onibot No.	YEAR BUILT	
	sigh soy	5 /2-	6 messares 13't ho	5116 painted onbrid	50
			CONDITION - DESCRIBE DEFECT	S	
	GOOD	FAIR	POOR		
	RSTRUCTURE				
FLOC	OR				
	IS & STRINGERS				
PAIN	TMENTS				
PAIN					
			IMPROVEMENT NEEDED		
			- Street of Assessment and Assessmen		
	RE OF NEED				
	NEEDED IMMEDIAT	ELY	5 YEARS	☐ IO YEARS	
:371	MATED COST	DA 8 C C	A DIOTANCE BANK TO THE		
	A FUR UVER	-M33 3HOV	DISTANCE DOWN TO TOP OF RAIL OR SUF	IFACE OF LOWER ROAD.	

	BRIDGE OVERPASS UNDERPASS UNDERPASS COMBI ROAD CLASS NAME OF STREAM,E		ROAD BRID	N Tair Had	SHEET NO. DATE	
			DESCR	IPTION		
	NO. OF SPANS		LENGTH OF E	ACH SPAN		PL GILDEL
TOT	AL LENGTH OVERAL	L ALONG CENTE	RLINE OF ROAD 52	-61		
			MATERIAL AN	DIMENSIONS		
ABU	TMENTS CON			SUPERSTRUCTU	RE CONC	
FLO	OR SYSTEM: FLOOR_	Cone	THICKNESS 7	STRINGERS	MAIN BEAMS 30	"Rondon
ROAL			CLEAR	dente de la companya	LEFT_	
	MUM VERTICAL (TRA		TO STREAM BED) 23		OVERPASS *	
	TED LOAD LIMITS_		BRIDGE NO. 5		YEAR BUILT 961	
4	as water	lino at	Fachol		,	•
FLOC	AS & STRINGERS	GOOD FAIR	CONDITION — DES	SCRIBE DEFECTS	<u>S</u>	
			IMPROVEME	NT NEEDED		5/26/84
	N NEEDED	MMEDIATELY		FADO		
	MATED COST		5 Y			O YEARS
	₩ F(OR OVERPASS SH	OW DISTANCE DOWN TO T	OP OF RAIL OR SUR	FACE OF LOWER ROAD.	

BRIDGE NO. 5 DATE UNDERPASS COMBINED ROAD CLASS NAME OF STREAM, ETC., CROSSED DESCRIPTION NO. OF SPANS LENGTH OF EACH SPAN TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS ABUTMENTS SUPERSTRUCTURE FLOOR BEAMS STRINGERS CLEARANCES RAILROAD NAME NO. OF R.R. TRACKS TYPE TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS SUPERSTRUCTURE CLEARANCES STRINGERS CLEARANCES ROADWAY RAILROAD NAME TYPE CAM PPA TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MAIN BEAMS STRINGERS CLEARANCES ROADWAY CLEARANCES SIDEWALK WIDTH. RIGHT LEFT MINIMUM VERTICAL (TRAFFIC) CLEARANCE CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) OVERPASS * POSTED LOAD LIMITS BRIDGE NO. CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE CONDITION — DESCRIBE DEFECTS FOODS, FOR THOSE NO. CONDITION — DESCRIBE DEFECTS ROADWAY CONDITION — DESCRIBE DEFECTS ROADWAY CONDITION — DESCRIBE DEFECTS RAILROAD NAME NO. OF R.R. TRACKS RAILROAD NAME NO. OF R.R. TRACKS NO. OF R.R. TRACKS	BRIDGE OVERPASS				ROAD NO. TZI	SHEET NO.
UNDERPASS COMBINED ROAD CLASS NAME OF STREAM, ETC., CROSSED DESCRIPTION NO. OF SPANS LENGTH OF EACH SPAN TYPE TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS ABUTMENTS SUPERSTRUCTURE FLOOR BEAMS STRINGERS CLEARANCES RAILROAD NAME NO. OF R.R. TRACKS TYPE TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS SUPERSTRUCTURE SIDEWALK WIDTH. RIGHT LEFT MINIMUM VERTICAL (TRAFFIC) CLEARANCE SIDEWALK WIDTH. RIGHT LLEFT MINIMUM VERTICAL (TRAFFIC) CLEARANCE CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) OVERPASS ** POSTED LOAD LIMITS GOOD FAIR GOOD FAIR POOR CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE GOOD FAIR POOR POOR					CONTRACTOR OF THE PARTY OF THE	
DESCRIPTION NO. OF SPANS LENGTH OF EACH SPAN TYPE TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS ABUTMENTS FLOOR SYSTEM: FLOOR THICKNESS STRINGERS CLEARANCES ROADWAY ROADWAY ROADWAY CLEARANCE CLEARANCES SIDEWALK WIDTH. RIGHT LEFT MAIN BEAMS STRINGERS CLEARANCES ROADWAY SIDEWALK WIDTH. RIGHT LEFT MOUNT OVERPASS * POSTED LOAD LIMITS BRIDGE NO. CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE GOOD FAIR POOR CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE	UNDERPASS	COMBINED				DATE
DESCRIPTION NO. OF SPANS LENGTH OF EACH SPAN TYPE TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS ABUTMENTS FLOOR SYSTEM: FLOOR THICKNESS STRINGERS CLEARANCES ROADWAY ROADWAY ROADWAY CLEARANCE CLEARANCES SIDEWALK WIDTH. RIGHT LEFT MAIN BEAMS STRINGERS CLEARANCES ROADWAY SIDEWALK WIDTH. RIGHT LEFT MOUNT OVERPASS * POSTED LOAD LIMITS BRIDGE NO. CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE GOOD FAIR POOR CONDITION — DESCRIBE DEFECTS SUPERSTRUCTURE	ROAD CLASS				ODOMETER READING	68 RAILROAD NAME
TOTAL LENGTH OVERALL ALONG CENTERLINE OF ROAD MATERIAL AND DIMENSIONS	NAME OF STR	EAM, ETC., CROSS	ED Y	lud B	100K	
FLOOR SYSTEM: FLOOR THICKNESS MAIN BEAMS FLOOR BEAMS CLEARANCES ROADWAY SIDEWALK WIDTH. RIGHT MINIMUM VERTICAL (TRAFFIC) CLEARANCE CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) POSTED LOAD LIMITS BRIDGE NO. CONDITION — DESCRIBE DEFECTS GOOD FAIR POOR FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE MAIN BEAMS MAIN BEAMS OVERPASS LEFT MAIN BEAMS CONDITION— DESCRIBE DEFECTS FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE MAIN BEAMS STRINGERS MAIN BEAMS MAIN BEAMS STRINGERS MAIN BEAMS CONDITION— DESCRIBE DEFECTS FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE GOOD FAIR POOR FOR STRUCTURE MAIN BEAMS STRINGERS MAIN BEAMS MAIN BEAMS STRINGERS MAIN BEAMS STRINGERS MAIN BEAMS STRINGERS MAIN BEAMS STRINGERS MAIN BEAMS CLEARANCES OVERPASS ** POSTED LOAD LIMITS BRIDGE NO. POSTED LOAD LIMITS GOOD FAIR POOR FOR STRUCTURE MAIN BEAMS MAIN BEAMS MAIN BEAMS MAIN BEAMS MAIN BEAMS LEFT MINIMUM VERTICAL TRAFFIC AND POOR FOR STRINGERS MAIN BEAMS MAIN	TOTAL LENGTH OV		CENTERL	LENGT	TH OF EACH SPAN	CGMPPA
CLEARANCES ROADWAY Z7 SIDEWALK WIDTH. RIGHT LEFT MINIMUM VERTICAL (TRAFFIC) CLEARANCE CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) C9" OVERPASS * POSTED LOAD LIMITS BRIDGE NO. YEAR BUILT 1974 CONDITION — DESCRIBE DEFECTS GOOD FAIR POOR SUPERSTRUCTURE CONDITION — DESCRIBE DEFECTS	ABUTMENTS				SUPERSTRUCT	URE DOSTS
CLEARANCES ROADWAY Z SIDEWALK WIDTH. RIGHT LEFT MINIMUM VERTICAL (TRAFFIC) CLEARANCE CLEAR HEIGHT (FROM BOTTOM OF BRIDGE TO STREAM BED) C 9 " OVERPASS * POSTED LOAD LIMITS BRIDGE NO. YEAR BUILT 1974 CONDITION - DESCRIBE DEFECTS GOOD FAIR POOR POSTS NO NO NO 1				THICKNES		MAIN BEAMS
SUPERSTRUCTURE BRIDGE NO. YEAR BUILT 1974 CONDITION - DESCRIBE DEFECTS POOR Posts rotton no roif	MINIMUM VERTICAL		Part of the Part o	SIDEWALK WIE	OTH. RIGHT	
CONDITION - DESCRIBE DEFECTS GOOD FAIR POOR SUPERSTRUCTURE Posts rotton never!				-	The same of the sa	
	POSTED LOAD LIMI			CONDITION	- DESCRIBE DEFECT	<u>s</u>
BEAMS & STRINGERS	FLOOR BEAMS & STRINGER ABUTMENTS	RS 🗆			osts rotton	no roil
IMPROVEMENT NEEDED 5/26/24				IMPRO	VEMENT NEEDED	5/26/94
NATURE OF NEED	and a		-1.4			
WHEN NEEDED IMMEDIATELY 5 YEARS 10 YEARS ESTIMATED COST # FOR OVERPASS SHOW DISTANCE DOWN TO TOP OF RAIL OR SURFACE OF LOWER ROAD.				DISTANCE DOV		